

CONFIDENTIAL

25X1

CENTRAL INTELLIGENCE AGENCY
INFORMATION REPORT

COUNTRY Poland

SUBJECT Port Information: Stettin

25X1C

PLACE ACQUIRED
(BY SOURCE)

DATE ACQUIRED
(BY SOURCE)

DATE (OF INFO.

25X1A

REPORT NO.

RES

1

CD NO.

OO/C NO.

ORR NO.	
---------	--

DAS NO.

OC 1 NO.

DATE DISTR. 18 Mar 1954

NO. OF PAGES 3

NO. OF ENCLS.

SUPP. TO
REPORT NO.

25X1

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 18, SECTIONS 793 AND 794, OF THE U.S. CODE, AS AMENDED. ITS TRANSMISSION OR REVELATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. THE REPRODUCTION OF THIS REPORT IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

25X1

1. The information contained herein is based on personal observations [redacted]
2. Alphabetical Designators Coordinated with information reported herein, specific points are located on overlay to BA Chart No 185 and identified by the following alphabetical designators:

- A - berth
- B - Electrical power station
- C - Oil storage tanks
- D - Four merchant vessels lifting coal or sulphur
- E - Three merchant vessels lifting coal
- F - Restricted area
- G - Coal berth

3. Details of Arrival [] visited subject port [] in a merchant marine vessel arriving in ballast, 77.20 meters long, drawing 5.20 meters of water, having transited the "first port of entry," Swinemunde, the day before.
4. Approach Pilot boarded vessel out of Swinemunde and brought her to wharfsid at designator A.
5. Formalities The official boarding party came aboard at wharfside and conduc a 4-hour search and inspection. The crew was not mustered while vessel was being inspected by a searching squad armed with pistols and submachine guns. Radios and cameras were sealed and no one was allowed ashore during stay in

ONI review(s) completed.

CONFIDENTIAL

25X

[illegible]

This report is for the use within the USA of the Intelligence components of the Departments or Agencies indicated above. It is not to be transmitted overseas without the concurrence of the originating office through the Assistant Director of the Office of Collection and Dissemination, CIA.

CONFIDENTIAL [REDACTED]

25X1A

25X1

- 2 -

port. Prior to departure a similar inspection was conducted of 2½ hours' duration.

6. Cables and Bridges No overhead cables or bridges were passed under during the call.
7. Tugs No tugs were employed in working source's vessel into berthing or in entering port. Tugs were observed assisting other vessels in entering and shifting and were thought to be about 11 in number, all large German types of about 250 horsepower.
8. Lighterage No lighters were noted.
9. Tides and Currents There were no tides or unfavorable currents in the Ober River.
10. Utilities Water, both for drinking and boiler purposes, was available by pipeline at wharfside. No water was taken by this vessel, therefore supply, quality and delivery figures are unknown. DC electric power was available at the dock though not considered adequate; it is derived from the old German power station at designator B. Source stated that there was a modern power station constructed by the Germans during World War II but was subsequently destroyed by the Soviets.
11. Fuel There were three pipelines at wharfside; one benzol, one gasoline and one for an undetermined type of oil. All are in abundant supply, having six-inch connections.
12. Supplies Only supplies known to be available were provisions in the form of emergency foodstuffs such as eggs, butter and meat. Their quality was unknown.
13. Clearance Facilities There is an old standard-gage German railroad spur located on the wharf, as shown near designator A.
14. Rolling Stock One railroad train was observed of from 30 to 32 tank cars. The equipment was described as regular German construction, the tank cars having a capacity from 15 to 18 tons.
15. Wharf The wharf at designator A was a quay type; stone filled with wooden deck and about 300 meters in length. The main function of the wharf is to facilitate petroleum cargoes. It has one antiquated wooden boom used to hoist and position fuel lines. The capacity of this rig was estimated at one ton. An office, housing the petroleum facility personnel, is located at an undisclosed location on the wharf. This office is located in an old house which is currently in disrepair.
16. Petroleum Tanks Located on the wharf, designator C, and arranged as shown are six petroleum tanks. Four of these had an estimated individual storage capacity of two thousand tons; the other two had an estimated capacity of 500 tons each. A railroad spur runs parallel to the face of the wharf, inboard of the tanks, and serves the facility.
17. Security Guards The area around the Petroleum tanks was heavily guarded by what [REDACTED] described as "female industrial police."
18. Surveillance of Vessel A three-man guard was stationed on the wharf beside the vessel during her stay in port. They were armed, uniformed and stationed at the bow, beam and stern.
19. Port Entrance Regulations Before a vessel is permitted to enter port a deposit must be made to the port authorities, payable in US currency; \$500 was required. [REDACTED] stated this deposit is held for possible indemnification against damages sustained by visiting shipping. He stated he knew of a Finnish ship which damaged four support stanchions along the face of a wharf while coming alongside and was assessed \$35 thousand.

25X1

25X1

25X1

25X1

25X1
25X1

25X1

CONFIDENTIAL [REDACTED]

CONFIDENTIAL

25X1A

25X1

- 3 -

20. Cargo This vessel, arriving in ballast, lifted one thousand tons of benzol for discharge

25X1

21.

22. Restricted Area Area designated F on the overlay was for unknown reasons a restricted zone. It is heavily guarded and elevated sentry towers along its perimeters similar to the one sketched.

23. Coal Wharf Wharf at designator G was observed to be used exclusively for discharging or lifting coal cargoes.

[Available on loan from the CIA Library is sketch referred to in paragraph 22 above, as well as overlay to BA Chart No 185.]

- end -

SECRET & AREA CODES

25X1

CONFIDENTIAL


25X1

25X1A

Approved For Release 2003/10/02 : CIA-RDP80-00926A007000010060-9

Approved For Release 2003/10/02 : CIA-RDP80-00926A007000010060-9

Approved For Release 2003/10/02 : CIA-RDP80-00926A007000010060-9



SENTRY TWR. (SEE PARA. 21)

Approved For Release 2003/10/02 : CIA-RDP80-00926A007000010060-9

25X1

Approved For Release 2003/10/02 : CIA-RDP80-00926A007000010060-9

Approved For Release 2003/10/02 : CIA-RDP80-00926A007000010060-9